

Rockfon Intaline™ Metal Baffle Open Plenum Metal Panel Ceiling System

Primary Applications:




Create attractive open ceilings in interior spaces.

Features and Benefits:

- Range of baffle heights and shapes.
- Variable baffle spacing.
- Tee grid based system for module alignment and ease of installation.
- Metal contains no organic compounds to support mold and microbial growth.
- Integrates with industry standard diffuser systems.

- 100% random access to plenum.
- Sustainable: Aluminum up to 100% recycled content / Steel minimum 25% recycled content, 100% locally recyclable.

PRODUCTS

	Material		Baffle
	Painted 0.020" Steel (V-Base) Painted 0.032" Aluminum (Round Base)		Round base and V base. Color - Painted Both Sides <input type="checkbox"/> 01 White <input type="checkbox"/> 08 Black <input type="checkbox"/> 44 Satin Silver Metallic <input type="checkbox"/> Other painted color _____ V Base - Steel <input type="checkbox"/> 48.50.004 (4") Round Base - Aluminum <input type="checkbox"/> 38.40.031 (6") <input type="checkbox"/> 38.40.051 (8") <input type="checkbox"/> 38.40.061 (10")
			Suspension Double web construction, 15/16" width, 1-1/2" height. Main Tee - Intermediate Duty <input type="checkbox"/> C1811M (144", slots 48" OC, ID) Cross Tee - Stab-in <input type="checkbox"/> C1804 (48", no slots)
			Angles Hemmed. Main Tee - Intermediate Duty <input type="checkbox"/> 38.90.122 (15/16" x 15/16" x 144")
			Accessories Web Covers <input type="checkbox"/> 48.40.909 (48" with hanger hole) <input type="checkbox"/> 48.40.910 (48" without hanger hole)

Rockfon Intaline™ Metal Baffle Open Plenum Metal Panel Ceiling System

PHYSICAL DATA

- Type:** Round base, V base
Material: Painted aluminum, painted steel
Surface: Smooth, painted on 360°
Size: Depths: Round base - 6", 8", 10"; V base - 4"
Fire: Class A: flame 0, smoke 0 per ASTM E 84
Performance: Interior applications
Suspension: 15/16"
Warranty: 1 year limited
Sustainability: Aluminum up to 100% recycled content / Steel minimum 25% recycled content, 100% locally recyclable.

COMPONENT LOAD TEST DATA (based on 1/360 span deflection)

ALLOWABLE LOAD [■] per SIMPLE SPAN-lb/f

Main Tee	Hanger Spacing Length	ASTM C635-4'		
		2'	4'	6'
1811	12'	Intermediate Duty		
1804	2'	14.1		


■To convert data into lb/ft², divide on center spacing of component into lb/ft.

SECTIONS


Baffle Attachment




Baffle Alignment





Baffle Parallel To Wall



Baffle Perpendicular To Wall



Ceiling Plan Example



Round / V Base

ROXUL
Rockfon®



ROCKFON, LLC 4849 SOUTH AUSTIN AVE., CHICAGO, IL 60638 / USA and Canada: 800-323-7164 / Fax: 800-222-3744 / rockfon.com