# Symphony® *f*

Fiberglass Ceilings

**LOW VOC**

**$$**$$

## LEED® v4

- MR: Environmental Product Declarations (EPDs)
- MR: Sourcing Raw Materials
- MR: Material Ingredients (HPDs)
- IEQ: Daylight
- IEQ: Low-Emitting Materials
- IEQ: Prereq. Min. Acoustic Performance (Schools)
- IEQ: Acoustic Performance
- MR: PBT Source Reduction (Healthcare)
- IEQ: Interior Lighting
- EA: Prereq. Min. Energy Performance
- EA: Optimize Energy Performance
- Recycled Content
  Pre: **0%** | Post: **29-35%**

## TOOLS

Visit CertainTeed.com/Ceilings
Download HPDs and EPDs
LEED® Information / BIM Objects
3-Part Specs / Data Pages

**GreenCircle CERTIFIED**
Recycled Content

**UL CERTIFIED**
ENVIRONMENTAL PRODUCT DECLARATION
EPD Available

**hpd**
HPD Available

The Symphony line provides a complete line of ultra-durable acoustic solutions with a consistent, smooth ceiling visual. Combine Symphony, Adagio and TufCore products for targeted acoustics within the same space.

## FEATURES & BENEFITS

– High light reflectance enhances conventional lighting, which can reduce fatigue and eye strain

– Superior sound absorption (NRC 0.90-1.00) and optional foil backing increases CAC to 24-25

– Certified clean room component to ISO Class 4 (highest among comparable products)

– Surface washability exceeds 1,000 cycles with sanitizing chemicals

– Exceeds FGI guidelines for cleanability and acoustic performance

## APPLICATIONS

– Open Plan Areas

– Waiting Rooms

– Libraries

– Offices

– Nurses' Stations

– Computer Rooms

– Other Commercial Buildings / Space Applications

## SMARTFIT PANEL SERIES

A series of popular panel sizes for use alongside linear lighting, ventilation and utility areas

– Offers the same clean, monolithic modular ceiling visual as the rest of the Symphony collection while utilizing standard ceiling components

– Factory-fabrication prior to shipping reduces installation time by eliminating job-site fabrication

– Practical off-the-shelf solution to accommodate utility areas with 4", 6" or 12" wide linear zones

## CERTASIZE PROGRAM

The CertaSize program is a special order request program to provide non-standard sizes, edges and foil-backing (Symphony *f*) for the Symphony line of products. CertaSize items have 1 carton minimums and lead times similar to standard made-to-order products. Contact your local sales representative or call 800-233-8990.

## AVAILABLE EDGE DETAILS

| Trim 15/16 Grid | Reveal 15/16 Grid | Narrow Reveal 9/16 Grid | Narrow Reveal 9/16 Grid Bolt Slot |

Symphony® f IOF Reveal (1342-IOF-1) in Cloud Perimeter Trim

# Symphony® *f*
Fiberglass Ceilings

## ATTRIBUTES – IMPERIAL

| | DIMENSIONS (INCHES) | EDGE DETAIL | NRC | CAC+ | EPD / HPD AVAILABLE | SAG RESISTANT | MOLD RESISTANT | LR | WASHABLE | WASHABLE WITH SANITIZING CHEMICALS | FIRE CLASS (ASTM E1264) | EMISSION COMPLIANT | RECYCLED CONTENT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **FIELD PANELS (3/4")** | | | | | | | | | | | | | |
| **1322-IOF-1** | 24 x 24 x 3/4 | Trim | 0.90 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1320-IOF-1** | 24 x 48 x 3/4 | Trim | 0.90 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **FIELD PANELS (1")** | | | | | | | | | | | | | |
| **1342-IOF-1** | 24 x 24 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1342B-IOF-1** | 24 x 24 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1342F-IOF-1** | 24 x 24 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13424-44B-IOF-1** | 24 x 44 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1340-IOF-1** | 24 x 48 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1340B-IOF-1** | 24 x 48 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1340F-IOF-1** | 24 x 48 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1343-IOF-1** | 30 x 30 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1343B-IOF-1** | 30 x 30 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1343F-IOF-1** | 30 x 30 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13430-54F-IOF-1** | 30 x 54 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1349-IOF-1** | 30 x 60 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1349B-IOF-1** | 30 x 60 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1349F-IOF-1** | 30 x 60 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13442-48F-IOF-1** | 42 x 48 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1344-IOF-1** | 48 x 48 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1344B-IOF-1** | 48 x 48 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1344F-IOF-1** | 48 x 48 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **FIELD PANELS (1-1/2")** | | | | | | | | | | | | | |
| **1362-IOF-1** | 24 x 24 x 1-1/2 | Trim | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 35% |
| **1362B-IOF-1** | 24 x 24 x 1-1/2 | Reveal | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 33% |
| **1362F-IOF-1** | 24 x 24 x 1-1/2 | Narrow Reveal | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 33% |
| **1360-IOF-1** | 24 x 48 x 1-1/2 | Trim | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 35% |
| **1360B-IOF-1** | 24 x 48 x 1-1/2 | Reveal | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 33% |
| **1360F-IOF-1** | 24 x 48 x 1-1/2 | Narrow Reveal | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 33% |
| **FIELD PANELS (WITH CAC FOIL BACKING)** | | | | | | | | | | | | | |
| **1342-IOF-1F** | 24 x 24 x 1 | Trim | 0.95 | 24 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1342B-IOF-1F** | 24 x 24 x 1 | Reveal | 0.95 | 24 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1342F-IOF-1F** | 24 x 24 x 1 | Narrow Reveal | 0.95 | 24 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1340-IOF-1F** | 24 x 48 x 1 | Trim | 0.95 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1340B-IOF-1F** | 24 x 48 x 1 | Reveal | 0.95 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1343-IOF-1F** | 30 x 30 x 1 | Trim | 0.95 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1362-IOF-1F** | 24 x 24 x 1-1/2 | Trim | 0.95 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 35% |
| **1360-IOF-1F** | 24 x 48 x 1-1/2 | Trim | 0.95 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 35% |
| **PLANKS** | | | | | | | | | | | | | |
| **1347-IOF-1** | 20 x 60 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1347B-IOF-1** | 20 x 60 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1347F-IOF-1** | 20 x 60 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1341-IOF-1** | 24 x 60 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1341B-IOF-1** | 24 x 60 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1341F-IOF-1** | 24 x 60 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1358-IOF-1** | 24 x 72 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1358B-IOF-1** | 24 x 72 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1358F-IOF-1** | 24 x 72 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **1346-IOF-1** | 24 x 96 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **1346B-IOF-1** | 24 x 96 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **1346F-IOF-1** | 24 x 96 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |

+CAC values with foil backing

The foil-backed products explicitly listed on this sheet are available as standard order offerings. Foil backing is available for the rest of the Symphony *f* line as special order

## ATTRIBUTES - IMPERIAL

| | DIMENSIONS (INCHES) | EDGE DETAIL | NRC | CAC+ | EPD / HPD AVAILABLE | SAG RESISTANT | MOLD RESISTANT | LR | WASHABLE | WASHABLE WITH SANITIZING CHEMICALS | FIRE CLASS (ASTM E1264) | EMISSION COMPLIANT | RECYCLED CONTENT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **SMARTFIT PANELS (4")** | | | | | | | | | | | | | |
| **13404-48-IOF-1** | 4 x 48 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13404-48B-IOF-1** | 4 x 48 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13404-48F-IOF-1** | 4 x 48 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13404-60-IOF-1** | 4 x 60 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 32% |
| **13404-60B-IOF-1** | 4 x 60 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13404-60F-IOF-1** | 4 x 60 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13404-72-IOF-1** | 4 x 72 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13404-72B-IOF-1** | 4 x 72 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13404-72F-IOF-1** | 4 x 72 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **SMARTFIT PANELS (6")** | | | | | | | | | | | | | |
| **13406-48-IOF-1** | 6 x 48 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13406-48B-IOF-1** | 6 x 48 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13406-48F-IOF-1** | 6 x 48 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13406-60-IOF-1** | 6 x 60 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13406-60B-IOF-1** | 6 x 60 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13406-60F-IOF-1** | 6 x 60 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13406-72-IOF-1** | 6 x 72 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13406-72B-IOF-1** | 6 x 72 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13406-72F-IOF-1** | 6 x 72 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13406-96F-IOF-1** | 6 x 96 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **SMARTFIT PANELS (12")** | | | | | | | | | | | | | |
| **13412-24B-IOF-1** | 12 x 24 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13412-24F-IOF-1** | 12 x 24 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13412-48-IOF-1** | 12 x 48 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13412-48B-IOF-1** | 12 x 48 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13412-48F-IOF-1** | 12 x 48 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13412-60-IOF-1** | 12 x 60 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13412-60B-IOF-1** | 12 x 60 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13412-60F-IOF-1** | 12 x 60 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **13412-72-IOF-1** | 12 x 72 x 1 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **13412-72B-IOF-1** | 12 x 72 x 1 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **13412-72F-IOF-1** | 12 x 72 x 1 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |

+CAC values with foil backing
The foil-backed products explicitly listed on this sheet are available as standard order offerings. Foil backing is available for the rest of the Symphony f line as special order

## PHYSICAL DATA

**MATERIAL**
Fiberglass

**ASTM E1264 CLASSIFICATION**
Type XII, Form 2, Pattern E

**FIRE CLASS (ASTM E1264)**
Tested according to ASTM E84 & CAN S102
Flame Spread: 25 or less
Smoke Developed: 50 or less

**MOLD/MILDEW RESISTANCE**
Fiberglass substrate is inherently resistant to the growth of mold and mildew.

**VOC EMISSIONS**
Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010.

**MAINTENANCE**
IOF Finish: Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

**WARRANTY**
10-year 104/95 Limited Warranty

**CertainTeed**
SAINT-GOBAIN
Ceilings

# Symphony® *f*
Fiberglass Ceilings

## ATTRIBUTES - METRIC

| | DIMENSIONS (MM) | EDGE DETAIL | NRC | CAC+ | EPD / HPD AVAILABLE | SAG RESISTANT | MOLD RESISTANT | LR | WASHABLE | WASHABLE WITH SANITIZING CHEMICALS | FIRE CLASS (ASTM E1264) | EMISSION COMPLIANT | RECYCLED CONTENT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **FIELD PANELS – METRIC (19 MM)** | | | | | | | | | | | | | |
| 1322M-IOF-1 | 600 x 600 x 19 | Trim | 0.90 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1320M-IOF-1 | 600 x 1200 x 19 | Trim | 0.90 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| **FIELD PANELS – METRIC (25 MM)** | | | | | | | | | | | | | |
| 1347M-IOF-1 | 500 x 1500 x 25 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| 1347MB-IOF-1 | 500 x 1500 x 25 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1347MF-IOF-1 | 500 x 1500 x 25 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| 1342M-IOF-1 | 600 x 600 x 25 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| 1342MB-IOF-1 | 600 x 600 x 25 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1342MF-IOF-1 | 600 x 600 x 25 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| 1340M-IOF-1 | 600 x 1200 x 25 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| 1340MB-IOF-1 | 600 x 1200 x 25 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1340MF-IOF-1 | 600 x 1200 x 25 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| 1343M-IOF-1 | 750 x 750 x 25 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| 1343MB-IOF-1 | 750 x 750 x 25 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1343MF-IOF-1 | 750 x 750 x 25 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| 1344M-IOF-1 | 1200 x 1200 x 25 | Trim | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| 1344MB-IOF-1 | 1200 x 1200 x 25 | Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1344MF-IOF-1 | 1200 x 1200 x 25 | Narrow Reveal | 0.95 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| **FIELD PANELS – METRIC (25 MM WITH CAC FOIL BACKING)** | | | | | | | | | | | | | |
| 1342MB-IOF-1F | 600 x 600 x 25 | Reveal | 0.95 | 24 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 30% |
| 1342MF-IOF-1F | 600 x 600 x 25 | Narrow Reveal | 0.95 | 24 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 29% |
| 1340M-IOF-1F | 600 x 1200 x 25 | Trim | 0.95 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 31% |
| **FIELD PANELS – METRIC (38 MM)** | | | | | | | | | | | | | |
| 1362M-IOF-1 | 600 x 600 x 38 | Trim | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 35% |
| 1362MF-IOF-1 | 600 x 600 x 38 | Narrow Reveal | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 33% |
| 1360M-IOF-1 | 600 x 1200 x 38 | Trim | 1.00 | N/A | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 35% |
| **FIELD PANELS – METRIC (38 MM WITH CAC FOIL BACKING)** | | | | | | | | | | | | | |
| 1362MB-IOF-1F | 600 x 600 x 38 | Reveal | 1.00 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 33% |
| 1360M-IOF-1F | 600 x 1200 x 38 | Trim | 1.00 | 25 | Yes | Yes | Inherent | 0.90 | Yes | Yes | Class A | Certified | 37% |

+CAC values with foil backing

The foil-backed products explicitly listed on this sheet are available as standard order offerings. Foil backing is available for the rest of the Symphony *f* line as special order

## PHYSICAL DATA

**MATERIAL**
Fiberglass

**ASTM E1264 CLASSIFICATION**
Type XII, Form 2, Pattern E

**FIRE CLASS (ASTM E1264)**
Tested according to ASTM E84 & CAN S102
Flame Spread: 25 or less
Smoke Developed: 50 or less

**MOLD/MILDEW RESISTANCE**
Fiberglass substrate is inherently resistant to the growth of mold and mildew.

**VOC EMISSIONS**
Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010.

**MAINTENANCE**
IOF Finish: Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

**WARRANTY**
10-year 104/95 Limited Warranty

Symphony® f IOF Reveal (1342-IOF-1) in Cloud Perimeter Trim

**CertainTeed**
SAINT-GOBAIN

**Ceilings**